In re Application of:

Narayanan Sundararajan

Application No.: 10/609,322 Filed: June 26, 2003

Page 3

Attorney Docket No.: INTEL1360 (P15622)

## Amendments to the Claims

Please amend claims 1, 2, 7, 16 and 19 as indicated in the listing of claims.

Please cancel claims 5, 18, 26-33 without prejudice or disclaimer.

The listing of claims will replace all prior versions, and listings of claims in the application:

## **Listing of Claims:**

- 1. (Currently amended) A method comprising forming a structure attached to a micro-fluidic channel based on hydrodynamic focusing <u>using a hydrodynamically focused fluid and a</u> focusing fluid.
- 2. (Currently amended) The method of claim 1, wherein forming the structure comprises solidifying a the hydrodynamically focused fluid inside the channel.
- 3. (Original) The method of claim 2, wherein solidifying comprises polymerizing the hydrodynamically focused fluid.
- 4. (Original) The method of claim 3, further comprising promoting polymerization by exposing the hydrodynamically focused fluid to ultraviolet radiation.
- 5. (Canceled)
- 6. (Original) The method of claim 1, wherein forming the structure comprises forming a plurality of coatings attached to walls of the channel.
- 7. (Currently amended) The method of claim  $\underline{6}$  1, wherein forming the coatings comprises forming a coating having a greater compatibility than that of the wall of the channel.
- 8. (Original) The method of claim 7, wherein forming the coating having the greater compatibility comprises forming a coating having a greater biocompatibility than that of the wall of the channel.

PATENT

Attorney Docket No.: INTEL1360 (P15622)

In re Application of:
Narayanan Sundararajan

Application No.: 10/609,322 Filed: June 26, 2003

Page 4

9. (Original) The method of claim 8, wherein forming the biocompatible coating

comprises forming a biocompatible anti-fouling coating.

10. (Original) The method of claim 9, further comprising flowing a fluid containing a

biological molecule in the channel containing the biocompatible anti-fouling coating.

11. (Original) The method of claim 8, wherein forming the biocompatible coating

comprises forming a biocompatible affinity coating containing a binding material.

12. (Original) The method of claim 8, further comprising flowing a fluid containing a

biological molecule in the channel containing the biocompatible affinity coating; and binding the

biological molecule to the binding material of the biocompatible affinity coating.

13. (Original) The method of claim 1, wherein forming the structure comprises forming

an internal divider wall.

14. (Original) The method of claim 13, further comprising tailoring a permeability of the

divider wall to a molecule.

15. (Original) The method of claim 14, further comprising performing a separation by

permeating the molecule across the internal divider wall.

16. (Currently amended) The method of claim 1, wherein forming the structure comprises

selectively promoting polymerization in a portion of a the hydrodynamically focused

polymerizable fluid by selectively exposing the portion to an electromagnetic radiation based on

a patterned mask to form a structure having a first dimension that is based on hydrodynamic

focusing and a second dimension that is based on the patterned mask.

17. (Original) The method of claim 16, wherein forming the structure comprises forming

a pillar having a width that is based on hydrodynamic focusing and a length that is based on the

patterned mask.

Claims 18. (Canceled)

**PATENT** 

In re Application of: Attorney Docket No.: INTEL1360 (P15622) Narayanan Sundararajan

Application No.: 10/609,322

Filed: June 26, 2003

Page 5

19. (Currently amended) A method comprising:

introducing a polymerizable fluid and a focusing fluid into a hydrodynamic focusing system having a micro-fluidic channel;

hydrodynamically focus the polymerizable fluid with the focusing fluid within the microfluidic channel; and

forming a structure attached to the micro-fluidic channel in the hydrodynamic focusing system by polymerizing the hydrodynamically focused polymerizable fluid.

- The method of claim 19, further comprising, prior to said forming, 20. (Original) promoting polymerization by exposing the hydrodynamically focused polymerizable fluid to an electromagnetic radiation.
- The method of claim 20, wherein promoting polymerization comprises 21. (Original) selectively promoting polymerization in a portion of the hydrodynamically focused polymerizable fluid by selectively exposing the portion to an electromagnetic radiation based on a patterned mask to form a structure having a first dimension that is based on hydrodynamic focusing and a second dimension that is based on the patterned mask.
- The method of claim 21, wherein forming the structure comprises forming (Original) 22. a pillar having a width that is based on hydrodynamic focusing and a length that is based on the patterned mask.
- The method of claim 19, wherein forming the structure comprises forming 23. (Original) a plurality of coatings attached to walls of the channel.
- The method of claim 19, wherein forming the structure comprises forming 24. (Original) an internal divider wall.
- The method of claim 19, further comprising performing a separation by 25. (Original) permeating a molecule across the internal divider wall.

Claims 26-33. (Canceled)